

Appl. No. 09/880,530  
Amdt. Dated January 5, 2005  
Reply to Office Action December 16, 2004

APP 1292

RECEIVED  
COMM. DIV.  
JAN 13 2005

Listing of Claims:

Claim 1 (currently amended): A system for dynamically assigning IP addresses to mobile stations in wireless networks including a plurality of base stations and operating according to a Dynamic Host Configuration Protocol (DHCP), said system comprising:

a wired IP network connecting the base stations;

an address server connected to the wired IP network; and

a proxy server at each base station in the wired network, said proxy server intercepting client-to-server requests for an IP address and modifying the request so that it goes only to the address server, and not to other base stations, and intercepting server-to-client IP address messages from the address server and making sure that they are unicast only to the mobile stations requesting IP addresses and wherein the proxy server changes a hops field in a received DHCP client-to-server message so that the address server processes the message, but the proxy servers at other base stations discard the message.

Claim 2 (cancelled)

Claim 3 (currently amended): The system of claim ~~2~~ 1 wherein the hops field is set to zero if the message is from a mobile station and the proxy server changes it to a one when sending it on the wired IP network.

Claim 4 (currently amended): ~~The A system of claim 1~~ for dynamically assigning IP addresses to mobile stations in wireless networks including a plurality of base stations, said system comprising:

a wired IP network connecting the base stations;

an address server connected to the wired IP network; and

a proxy server at each base station in the wired IP network, said proxy server intercepting client-to-server requests for an IP address and modifying the request so that it goes only to the address server, and not to the other base stations, and intercepting server-to-client IP address messages from the address server and making sure that they are unicast only to the mobile stations requesting IP address and wherein the proxy server further includes a distribution table which stores information about mobile stations requesting IP addresses and sends server-to-client messages only to mobile stations listed in the table.

Appl. No. 09/880,530  
Amdt. Dated January 5, 2005  
Reply to Office Action December 16, 2004

APP 1292

Claim 5 (original): The system of claim 4 wherein the server-to-client message is unicast.

Claim 6 (original): A method of dynamically assigning IP addresses to mobile stations in wireless networks including a plurality of base stations, comprising the steps of:

receiving at a base station proxy server an address request message from a mobile station requesting an IP address;

determining if the address request message is directly from the mobile station or from another base station over a wired network segment;

if the address request is directly from a mobile station, altering the address request message and sending it over the wired network segment to an address server; and

if the address request message is from another base station, discarding the address request message.

Claim 7 (original): The method of claim, 6, further including the steps of:

receiving at a base station proxy server an address designation message;

determining from a Distribution Table which mobile stations within the range of the base station have requested address information; and

transmitting the address designation message only to those mobile stations identified.

Claim 8 (original): The method of claim 7 wherein the step of transmitting is by unicasting.

Claim 9 (original): The method of claim 6 wherein the wireless network is operating according to a Dynamic Host Configuration Protocol (DHCP) and wherein the step of altering the address request message comprises the step of changing a hops field in a received DHCP client-to-server message so that the address server processes the message, but the proxy servers at other base stations discard the message.

Claim 10 (cancelled)

Claim 11 (original): A system for dynamically assigning IP addresses to mobile stations in a wireless network, said system comprising:

Appl. No. 09/880,530  
Amdt. Dated January 5, 2005  
Reply to Office Action December 16, 2004

APP 1292

a plurality of base stations each of which serves a respective cell, each of said base stations including

a dynamic host configuration proxy (DHCP) server which determines whether a DHCP message can be unicast directly to a destination mobile station, and

a routing engine receiving a communication from said proxy server when said DHCP message cannot be unicast directly to a destination mobile station, said routing engine including a Distribution Table which maintains a list of IP addresses to identify mobile stations requesting IP addresses, and said routing engine causing the unicasting over a radio channel to an address of the destination mobile station as identified by said Distribution Table.

Claim 12 (original): The system in accordance with claim 11 wherein said base station further comprises a second routing engine receiving communication from said proxy server when a DHCP message can be unicast directly to a destination mobile station.

Claim 13 (cancelled)

Claim 14 (currently amended): The A system in accordance with claim 13 for dynamically assigning IP addresses to mobile stations in a wireless network including a plurality of base stations defining cells into which the mobile stations migrate, each said base station comprising

a proxy server intercepting mobile-to-base station requests for an IP address and first and second routing engines for unicasting address messages only to mobile stations requesting an address and

wherein said first routing engine receives communication from said proxy server when the IP address can be directly unicast to a requesting mobile station and said second routing engine receives communications from said proxy server when an IP address can not be directly unicast to a requesting mobile station, said second routing engine including a Distribution Table containing a list of IP addresses identifying mobile stations to which an IP address can be unicast.

Claim 15 (original): A system for dynamically assigning IP addresses to mobile stations in a wireless network including a plurality of base stations defining cells,

a wired network connecting said base stations, and

a proxy server in each of said base stations, said proxy server identifying whether a message is received over the wired network from another base station and discarding

Appl. No. 09/880,530  
Amdt. Dated January 5, 2005  
Reply to Office Action December 16, 2004

APP 1292

said message, or received from a mobile station in the cell of the base station and causing an IP address to be unicast to that mobile station.

Claim 16 (original): The system in accordance with claim 15 wherein said proxy server at a base station changes the hops field in received messages to determine whether a message is to be discarded or responded to.

Claim 17 (original): The system in accordance with claim 16 wherein the proxy server further includes a Distribution Table which stores a table associating mobile stations with IP addresses and sends an IP address unicast message only to mobile stations listed in the table.

Claim 18 (original): A method for dynamically assigning IP addresses to mobile stations in a wireless network, comprising the steps of:

receiving at a base station proxy server an address designation message;

determining from a Distribution Table which mobile stations within the range of the base station have requested address information and to which a unicast message can be sent; and

invoking a first routing engine when the address designation message cannot be unicast to the intended mobile station in order to direct the message to that mobile station; and

invoking a second routing engine when the address designation can be unicast to the intended mobile station, which second routing engine unicasts the message over a radio channel to an address of the designated mobile station.

Claim 19 (original): The method of claim 18 wherein the network uses dynamic host configuration proxy (DHCP) signaling.

Claim 20 (original): The method of claim 19 wherein the messages have hop fields, and further comprising the steps of

receiving at a base station DHCP proxy server an address request message from a mobile station requesting an IP address;

determining if the address request message is directly from the mobile station or from another base station over a wired network segment;

Appl. No. 09/880,530  
Amdt. Dated January 5, 2005  
Reply to Office Action December 16, 2004

APP 1292

if the address request message is directly from a mobile station, altering the hop field in the address request message and sending it over the wired network segment to an address server; ~~and~~

if the address request message is from another base station, discarding the address request message; and

transmitting the address designation message only to those mobile stations identified.